

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 43 (replaces version 42)

Revision: 16.02.2024

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Trade name	Nafufill KM 250
Article number: 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance	47 No further relevant information available.
/ the mixture	Concrete surfacer Ready-mixed mortar
1.3 Details of the supplier of the supplier of the supplier:	he safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

#### **SECTION 2: Hazards identification**

 2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008
 Skin Irrit. 2 H315 Causes skin irritation.
 Eye Dam. 1 H318 Causes serious eye damage.
 STOT SE 3 H335 May cause respiratory irritation.
 2.2 Label elements
 Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.
 Hazard pictograms
 Signal word



# Safety data sheet according to 1907/2006/EC, Article 31

Page 2/9

Printing date 16.02.2024

Version number 43 (replaces version 42)

Revision: 16.02.2024

Trade name Nafufill KM 250

		(Contd. of page 1)
Hazard-determining		
components of labelling:	Portland cemen	t
	verbrannter Öls	chiefer
	Fly ash Portland	d cement
Hazard statements	H315 Causes si	kin irritation.
	H318 Causes s	erious eye damage.
	H335 May caus	e respiratory irritation.
Precautionary statements	P101	If medical advice is needed, have product
2		container or label at hand.
	P102	Keep out of reach of children.
	P103	Read carefully and follow all instructions.
	P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for
		several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it
		before reuse.
	P403+P233	Store in a well-ventilated place. Keep container
		tightly closed.
	P501	Dispose of contents/container in accordance
		with local/regional/national/international
		regulations.
2.3 Other hazards		
Results of PBT and vPvB as	sessment	
PBT:	Not applicable.	
	rist applicable.	

· vPvB:

Not applicable.

3.2 Mixtures Description:	Mixture consisting of the following components.	
Dangerous components:		
CAS: 65997-15-1 EINECS: 266-043-4	Portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3,	≥20-≤30%
CAS: 93685-99-5	H335 verbrannter Ölschiefer	<u>≥</u> 3-<10%
Reg.nr.: 01-2119703178-42- 0000	STOT RE 2, H373; Eye Dam. 1, H318; STOT SE 3, H335	
CAS: 68475-76-3	Fly ash Portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<1.5%

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 43 (replaces version 42)

Revision: 16.02.2024

Trade name Nafufill KM 250

(Contd. of page 2)

Page 3/9

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation
- · After skin contact
- · After eye contact

· After swallowing

Supply fresh air. Instantly wash with water and soap and rinse thoroughly. Rinse opened eye for several minutes under running water. Seek medical treatment. Rinse out mouth and then drink plenty of water. Seek medical treatment.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
   Protective equipment:
- No special measures required.

#### SECTION 6: Accidental release measures

<ul> <li>6.1 Personal precautions, protective equipment and</li> </ul>	
emergency procedures	Not required.
· 6.2 Environmental	
precautions:	No special measures required.
6.3 Methods and material for	
containment and cleaning up	: Collect mechanically.
6.4 Reference to other	
sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.

#### SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
   Prevent formation of dust.
   Information about protection against explosions and fires: No special measures required.
   7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.

(Contd. on page 4)

GB



Page 4/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 43 (replaces version 42)

Revision: 16.02.2024

(Contd. of page 3)

GB

Trade name Nafufill KM 250

 Information about storage in one common storage facility: Not required.
 Further information about

- storage conditions:
- storage conditions:

· Storage class

Keep container tightly sealed.

#### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 65997-15-1 Portland cement

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*inhalable dust \*\*respirable dust

· DNELs

CAS: 65997-15-1 Portland cement

Inhalative DNEL 1 mg/m³ (ArL)

CAS: 93685-99-5 verbrannter Ölschiefer

Inhalative DNEL 0.233 mg/m<sup>3</sup> (ArL)

· PNECs

controls

CAS: 93685-99-5 verbrannter Ölschiefer

PNEC 100 mg/l (BEL)

0.002 mg/l (Mew)

0.02 mg/l (Freshwater)

· Additional information:

The lists that were valid during the compilation were used as basis.

• 8.2 Exposure controls

· Appropriate engineering

No further data; see section 7.

#### Individual protection measures, such as personal protective equipment

· General protective and Keep away from foodstuffs, beverages and food. hygienic measures Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. • Breathing equipment: Wear respiratory protection in case of insufficient ventilation. The selection of respirators (EN 14387) must be based on the known or anticipated exposure concentrations, the hazards of the product and the occupational exposure limits (section 8.1) of the respirator in question. Particle filter PP1: Inert substance; P2, P3: Hazardous substances Provide adequate ventilation. This can be achieved by local exhaust ventilation or general exhaust ventilation. (EN 689 - Methods for determining inhalation exposure) This applies especially at the mixing or stirring place. If this is not sufficient to keep the concentration below the occupational exposure limit, provide respiratory protection. (Contd. on page 5)



Page 5/9

# **Safety data sheet** according to 1907/2006/EC, Article 31

Printing date 16.02.2024	Version number 43 (replaces version 42)	Revision: 16.02.2024
Frade name Nafufill KM 250		
		(Contd. of page 4
• Hand protection	Protective gloves.	
	Selection of the glove material on consid	
	times, rates of diffusion and the degradat	
	After use of gloves apply skin-cleaning a	gents and skin cosmetics.
• Material of gloves	Strong gloves	a pat apply depend on the
	The selection of the suitable gloves doe	
	material, but also on further marks of manufacturer to manufacturer. As the p	
	several substances, the resistance of the	
	calculated in advance and has therefore	
	application.	
· Penetration time of glove		
material	The exact breakthrough time must be ob	otained from the protective
	glove manufacturer and must be observed.	
<ul> <li>Eye/face protection</li> </ul>	Tightly sealed safety glasses.	
<ul> <li>Body protection:</li> </ul>	Protective work clothing.	
SECTION 9: Physica	l and chemical properties	
. 0.1 Information on basis	newsiaal and chamical properties	
· 9.1 mornation on basic	physical and chemical properties	
· Colour:	Grey	
· Smell:	Odourless	
· Melting point/freezing po		
· Boiling point or initial bo		

Melting point/freezing point:	Not determined
• Boiling point or initial boiling point and	
boiling range	2230 °C (CAS: 14808-60-7 Quartz (SiO2))
· Flash point:	Not applicable
· pH at 20 °C	11
· Viscosity:	
<ul> <li>Kinematic viscosity</li> </ul>	Not applicable.
· dynamic:	Not applicable.
· Solubility	
Water:	Soluble
<ul> <li>Steam pressure at 1732 °C:</li> </ul>	13.5 hPa (CAS: 14808-60-7 Quartz (SiO2))
Density and/or relative density	
· Density at 20 °C	2.7 g/cm³
· 9.2 Other information	
· Appearance:	
· Form:	Powder
<ul> <li>Important information on protection of health</li> </ul>	th
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· · · ·	· ·
<ul> <li>Information with regard to physical hazar classes</li> </ul>	ra
	Void
· Explosives	voiu

(Contd. on page 6)

<sup>-</sup> GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 43 (replaces version 42)

Revision: 16.02.2024

Page 6/9

Trade name Nafufill KM 250

		(Contd. of page
· Flammable gases	Void	
Aerosols	Void	
<sup>.</sup> Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity		
· 10.1 Reactivity · 10.2 Chemical stability	No further relevant information available.	
<ul> <li>Thermal decomposition / conditions to be avoided:</li> <li>10.3 Possibility of hazardous</li> </ul>	No decomposition if used according to specifications.	
reactions	No dangerous reactions known	
• 10.4 Conditions to avoid	No further relevant information available.	
<ul> <li>10.5 Incompatible materials:</li> <li>10.6 Hazardous</li> </ul>	No further relevant information available.	
decomposition products:	No dangerous decomposition products known	

## **SECTION 11: Toxicological information**

 $\cdot$  11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity	Based on available data, the classification criteria are not met.
------------------	---

· LD/LC50	values tha	at are relevant for classification:		
CAS: 659	97-15-1 Po	ortland cement		
Dermal	LD50	2000 mg/kg (rabbit)		
Inhalative	LC50/4 h	5 mg/l (rat)		
CAS: 936	CAS: 93685-99-5 verbrannter Ölschiefer			
Oral	LD50	>2000 mg/kg (rat)		
Inhalative	LOAEL	0.000699 mg/l (ArL)		
· Skin corr · Serious e · Germ cell	ye damag	e/irritation Causes serious eye damage.		
		(Contd. on page 7)		



Page 7/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 43 (replaces version 42)

Revision: 16.02.2024

#### Trade name Nafufill KM 250

	(Contd. of page 6)
Carcinogenicity	Based on available data, the classification criteria are not met.
· Reproductive toxicity	Based on available data, the classification criteria are not met.
<ul> <li>STOT-single exposure</li> </ul>	May cause respiratory irritation.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
11.2 Information on other ha	zards

• Endocrine disrupting properties

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

List II

#### **SECTION 12: Ecological information**

· 12.1 Toxicity	• 1	12.1	Toxicity
-----------------	-----	------	----------

· 12.1 I OXIC	lty				
· Aquatic to	oxicity:				
CAS: 9368	85-99-5 verbrannter	Ölschiefer			
EC50/72h	EC50/72h 82.7 mg/l (Selenastrum capricornutum)				
LC50/96h	>100 mg/l (fish)				
EC50/48h	>100 mg/l (Daphnia magna)				
NOEC	>100 mg/l (fish)				
· 12.2 Persi	stence and				
degradability		No further relevant information available.			
· 12.3 Bioa	ccumulative				
potential		No further relevant information available.			
· 12.4 Mobility in soil		No further relevant information available.			
12.5 Results of PBT and vPvB assessment					
· PBT:		Not applicable.			
· vPvB:		Not applicable.			
• 12.6 Endocrine disrupting					
properties		For information on endocrine disrupting properties see section 11.			
12.7 Other adverse effects					
· Additiona	l ecological informa	ation:			
· General notes:		Do not allow undiluted product or large quantities of it to reach			
		ground water, water bodies or sewage system.			

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods
 Recommendation
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings:
 Recommendation:
 Non contaminated packagings can be used for recycling.

(Contd. on page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 43 (replaces version 42)

Revision: 16.02.2024

Trade name Nafufill KM 250

(Contd. of page 7)

Page 8/9

SECTION 14: Transport information	on
<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	Νο
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk according IMO instruments</li> </ul>	<b>g to</b> Not applicable.
· UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

<ul> <li>15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture</li> <li>Poisons Act</li> </ul>	No further relevant information availa	able.
· Regulated explosives precurs	sors	
None of the ingredients is listed		
· Regulated poisons		
None of the ingredients is listed		
· Reportable explosives precur	sors	
None of the ingredients is listed		
· Reportable poisons		
CAS: 1310-58-3 potassium hyc	Iroxide	17% of total caustic alkalinity
15.2 Chemical safety assessment:	A Chemical Safety Assessment has	not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024	/ersion number 43 (replaces version 42)	Revision: 16.02.2024
Trade name Nafufill KM 250		
		(Contd. of page 8
· Relevant phrases	H315 Causes skin irritation.	
	H318 Causes serious eye damage.	
	H335 May cause respiratory irritation.	
	H373 May cause damage to organs thro	ugh prolonged or repeated
	exposure.	
· Department issuing data		
specification sheet:	Environment protection department.	
• Abbreviations and acrony	<ul> <li>ms: RID: Règlement international concernant le dangereuses par chemin de fer (Regulations Transport of Dangerous Goods by Rail)</li> <li>ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des route (European Agreement Concerning the Inter Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous IATA: International Air Transport Association GHS: Globally Harmonised System of Classification EINECS: European List of Notified Chemical Subst CAS: Chemical Abstracts Service (division of the ADNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK RELC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative</li> </ul>	Concerning the International marchandises dangereuses par rnational Carriage of Dangerous Goods on and Labelling of Chemicals cial Chemical Substances tances American Chemical Society)
	Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – C STOT SE 3: Specific target organ toxicity (single e STOT RE 2: Specific target organ toxicity (repeate	exposure) – Category 3
* Data compared to the previous version altered.		